





Promotions				
Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
 <p>HOT!!</p>	KDP-2421SH20	\$22.8	Color 1/4" SHARP, 420TV Lines	Plastic IR Dome Camera IR LED: \varnothing 5X24PCS IR LED working distance: 20M Lens: Board Lens 3.6mm/F2.0 Dimension: \varnothing 94 x 69(H) mm Weight:250g
	KDP-405SH20	\$29.4	Color 1/3" SONY, 420 TV Lines	
	KDP-409SH20	\$45.9	Color 1/3" SONY, 540 TV Lines	
 <p>HOT!!</p>	KDV-2421SH20	\$26.1	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera IR LED: \varnothing 5X24PCS IR LED working distance: 20M Lens: Board Lens 3.6mm/F2.0 Dimension: \varnothing 94 x 68.5(H)mm Weight:400g
	KDV-405SH20	\$32.7	Color 1/3" SONY, 420 TV Lines	
	KDV-409SH20	\$49.2	Color 1/3" SONY, 540 TV Lines	
 <p>HOT!!</p>	KDV-2421SN20	\$31.0	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera IR LED: \varnothing 5X24PCS IR LED working distance: 20M Lens: Board Lens 3.6mm/F2.0 Dimension: \varnothing 94 x 68.5(H)mm Weight:450g
	KDV-405SN20	\$37.6	Color 1/3" SONY, 420 TV Lines	
	KDV-409SN20	\$54.1	Color 1/3" SONY, 540 TV Lines	
 <p>HOT!!</p>	KDV-2421SHT30	\$44.2	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED working distance: 30M Lens: 4-9mm Manual Zoom Lens Dimension: \varnothing 131x 93(H) mm Weight:800g
	KDV-405SHT30	\$50.8	Color 1/3" SONY, 420 TV Lines	
	KDV-409SHT30	\$67.3	Color 1/3" SONY, 540 TV Lines	
 <p>HOT!!</p>	KDV-2421CT30	\$50.8	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED working distance: 30M Lens: 4-9mm Manual Zoom Lens Dimension: \varnothing 275 x 93(H) mm Weight:2.1Kg
	KDV-405CT30	\$57.4	Color 1/3" SONY, 420 TV Lines	
	KDV-409CT30	\$73.9	Color 1/3" SONY, 540 TV Lines	
 <p>HOT!!</p>	KIR-2421CK20	\$34.3	Color 1/4" SHARP,420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance: 20M Built-in bracket, 3-Axis direction bracket Lens: Board Lens 3.6mm/F2.0 Dimension:175(W) x124(H) x83(D)mm Weight:400g
	KIR-405CK20	\$40.9	Color 1/3" SONY, 420 TV Lines	
	KIR-409CK20	\$57.4	Color 1/3" SONY, 540 TV Lines	
	KIR-2421CK40	\$52.5	Color 1/4" SHARP,420TV Lines	IR LED: \varnothing 5X42PCS IR LED working distance: 40M Built-in 3-Axis bracket. External lens adjusting






 HOT!!	KIR-405CK40	\$59.1	Color 1/3" SONY, 420 TV Lines	Lens: 4-9mm Manual Zoom Lens
	KIR-409CK40	\$75.6	Color 1/3" SONY, 540 TV Lines	Dimension:228(W)x97(H)x82(D)mm Weight:1.6Kg
 HOT!!	KIR-2421CK60	\$59.1	Color 1/4" SHARP, 420TV Lines	IR LED: \varnothing 5X72PCS IR LED working distance: 60M
	KIR-405CK60	\$65.7	Color 1/3" SONY, 420TV Lines	Built-in 3-Axis bracket, External lens adjusting
	KIR-409CK60	\$82.2	Color 1/3" SONY, 540TV Lines	Lens: 4-9mm Manual Zoom Lens
 HOT!!	KIR-2421T30	\$38.9	Color 1/4" SHARP,420TV Lines	Dimension:295(W)x120(H)x103(D)mm Weight:2.0Kg
	KIR-405T30	\$44.3	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X36PCS IR LED working distance: 30M
	KIR-409T30	\$57.8	Color 1/3" SONY, 540 TV Lines	Built-in 3-Axis bracket, External lens adjusting
 HOT!!	KIR-2421T50	\$42.9	Color 1/4" SHARP, 420TV Lines	Lens: 4-9mm Manual Zoom Lens
	KIR-405T50	\$48.3	Color 1/3" SONY, 420TV Lines	Dimension:200(W)x171(H)x83(D)mm Weight:1.3Kg
	KIR-409T50	\$61.8	Color 1/3" SONY, 540TV Lines	IR LED: \varnothing 8X36PCS IR LED working distance: 50M
 HOT!!	KDP-2421B45	\$20.0	Color 1/4" SHARP, 420TV Lines	Built-in 3-Axis bracket, External lens adjusting
	KDP-405B45	\$25.4	Color 1/3" SONY, 420 TV Lines	Lens: 4-9mm Manual Zoom Lens
	KDP-409B45	\$38.9	Color 1/3" SONY, 540 TV Lines	Dimension:240(W)x186(H)x100(D)mm Weight:1.4Kg
 HOT!!	KDP-2421BT45	\$25.4	Color 1/4" SHARP, 420TV Lines	4.5" Plastic Dome Camera
	KDP-405BT45	\$30.8	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDP-409BT45	\$44.3	Color 1/3" SONY, 540 TV Lines	Lens: Board Lens 3.6mm/F2.0
 HOT!!	KDP-2421R45	\$22.7	Color 1/4" SHARP, 420TV Lines	Dimension: \varnothing 118 x 106(H) mm Weight:600g
	KDP-405R45	\$28.1	Color 1/3" SONY, 420 TV Lines	4.5" Plastic Dome Camera
	KDP-409R45	\$41.6	Color 1/3" SONY, 540 TV Lines	SONY/SHARP CCD
 HOT!!	KDP-2421RT45	\$28.1	Color 1/4" SHARP, 420TV Lines	Lens: 4-9mm Manual Zoom Lens
	KDP-405RT45	\$33.5	Color 1/3" SONY, 420 TV Lines	Dimension: \varnothing 118 x 106(H) mm Weight:600g
	KDP-409RT45	\$47.0	Color 1/3" SONY, 540 TV Lines	4.5" Plastic IR Dome Camera
Weatherproof IR Camera				
	KIR-2421CN20	\$35	Color 1/4" SHARP,420 TV Lines	IR LED: \varnothing 5X21PCS IR LED working distance: 20M Lens: Board Lens 3.6mm/F2.0 Dimension: \varnothing 149 x 99(H) mm Weight:600g
				Weatherproof Aluminium Housing

	KIR-405CN20	\$41	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance:20M
	KIR-633CN20	\$43	Color 1/3" SONY, 420 TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-409CN20	\$66	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 3.6mm/F2.0
	KIR-639CN20	\$68	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension:175(W) x124(H) x83(D)mm Weight:550g
	KIR-2421CN30	\$45	Color 1/4" SHARP,420 TV Lines	Weatherproof Aluminium Housing
	KIR-405CN30	\$51	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X36PCS IR LED working distance:30M
	KIR-633CN30	\$53	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution :700/600/540/420TV Lines optional
	KIR-409CN30	\$76	Color 1/3" SONY, 540TV Lines	
	KIR-639CN30	\$78	Color 1/3" SONY, 540TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-H639CN30	\$94	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: CS Lens 6mm/F2.0
	KIR-673CN30	\$119	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension:228(W) x97(H) x82(D)mm Weight:750g
	KIR-2421CN50	\$50	Color 1/4" SHARP,420 TV Lines	Weatherproof Aluminium Housing
	KIR-405CN50	\$56	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 8X36PCS IR LED working distance:50M
	KIR-633CN50	\$58	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution :700/600/540/420TV Lines optional
	KIR-409CN50	\$79	Color 1/3" SONY, 540TV Lines	
	KIR-639CN50	\$81	Color 1/3" SONY, 540TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-H639CN50	\$99	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: CS Lens 6mm/F2.0
	KIR-673CN50	\$124	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension:228(W) x97(H) x82(D)mm Weight:1.2kg
	KIR-2421C25	\$40	Color 1/4" SHARP,420 TV Lines	IR LED: \varnothing 5X30PCS IR LED working distance:25M
	KIR-405C25	\$46	Color 1/3" SONY, 420 TV Lines	High resolution :700/600/540/420TV Lines optional
	KIR-633C25	\$48	Color 1/3" SONY, 420 TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-409C25	\$68	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 3.6mm/F2.0
	KIR-639C25	\$69	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension:230(W) x144(H) x85(D)mm Weight:1.0kg
	KIR-2421NK40	\$79	Color 1/4" SHARP,420TV Lines	Weatherproof Aluminium Housing
	KIR-405NK40	\$86	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X42PCS IR LED working distance:40M
	KIR-633NK40	\$87	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution :700/600/540/420TV Lines optional
	KIR-409NK40	\$106	Color 1/3" SONY, 540 TV Lines	
	KIR-639NK40	\$107	Color 1/3" SONY, 540TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-H639NK40	\$124	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 4-9mm Manual Zoom Lens
	KIR-673NK40	\$147	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension:228(W)x97(H)x82(D)mm Weight:1.20Kg
	KIR-2421CK20	\$34	Color 1/4" SHARP,420 TV Lines	Weatherproof Aluminium Housing

 HOT!!	KIR-405CK20	\$41	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance: 20M
	KIR-633CK20	\$43	Color 1/3" SONY, 420 TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-409CK20	\$57	Color 1/3" SONY, 540 TV Lines	Lens: Board Lens 3.6mm/F2.0
	KIR-639CK20	\$59	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension:175(W) x124(H) x83(D)mm Weight:400g
 HOT!!	KIR-2421CK40	\$52	Color 1/4" SHARP, 420TV Lines	Weatherproof Aluminium Housing
	KIR-405CK40	\$59	Color 1/3" SONY, 420TV Lines	IR LED: \varnothing 5X42PCS IR LED working distance: 40M
	KIR-633CK40	\$61	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution :700/600/540/420TV Lines optional
	KIR-409CK40	\$76	Color 1/3" SONY, 540TV Lines	Built-in 3-Axis bracket, External lens adjusting
	KIR-639CK40	\$78	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 4-9mm Manual Zoom Lens
	KIR-H639CK40	\$99	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension:228(W)x97(H)x82(D)mm Weight:1.6Kg
	KIR-673CK40	\$124	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	
 HOT!!	KIR-2421CK60	\$59	Color 1/4" SHARP, 420TV Lines	Weatherproof Aluminium Housing
	KIR-405CK60	\$66	Color 1/3" SONY, 420TV Lines	IR LED: \varnothing 5X72PCS IR LED working distance: 60M
	KIR-633CK60	\$68	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution :700/600/540/420TV Lines optional
	KIR-409CK60	\$82	Color 1/3" SONY, 540TV Lines	Built-in 3-Axis bracket, External lens adjusting
	KIR-639CK60	\$84	Color 1/3" SONY, 540TV Lines	Lens: 4-9mm Manual Zoom Lens
	KIR-H639CK60	\$106	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension:295(W)x120(H)x103(D)mm Weight:2.0Kg
	KIR-673CK60	\$130	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	
	KIR-405N20	\$45	Color 1/3" SONY, 420 TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-633N20	\$46	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
	KIR-409N20	\$68	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 3.6mm/F2.0
	KIR-639N20	\$69	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension :100(W) x77(H) x77(D)mm Weight:700g
	KIR-2421N25	\$43	Color 1/4" SHARP,420 TV Lines	Weatherproof Aluminium Housing
	KIR-405N25	\$50	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X30PCS IR LED working distance:25M
	KIR-633N25	\$51	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
	KIR-409N25	\$73	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-639N25	\$74	Color 1/3" SONY, 540TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-H639N25	\$92	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: Board Lens 3.6mm/F2.0
	KIR-673N25	\$117	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension :162(W) x72(H) x69(D)mm Weight:850g
	KIR-2421Y25	\$35	Color 1/4" SHARP,420 TV Lines	IR LED: \varnothing 5X30PCS IR LED working distance:25M
	KIR-405Y25	\$45	Color 1/3" SONY, 420 TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-633Y25	\$46	Color 1/3" SONY, 420 TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-409Y25	\$61	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 3.6mm/F2.0
	KIR-639Y25	\$63	Color 1/3" SONY, 540TV Lines Low Illumination	









	KIR-H639Y25	\$81	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	New Housing Design, IP66 waterproof Dimension :162(W) x72(H) x69(D)mm Weight:600g
	KIR-673Y25	\$106	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	
	KIR-2421Y40	\$40	Color 1/4" SHARP,420TV Lines	IR LED: 5X48PCS IR LED working distance: 40M
	KIR-405Y40	\$50	Color 1/3" SONY, 420 TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-633Y40	\$51	Color 1/3" SONY, 420 TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-409Y40	\$66	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 6mm/F2.0
	KIR-639Y40	\$68	Color 1/3" SONY, 540TV Lines Low Illumination	New Housing Design, IP66 waterproof
	KIR-H639Y40	\$86	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension :215(W) x85(H) x78(D)mm Weight:800g
	KIR-633N100	\$97	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: 12pcs IR LED working distance: 100M
	KIR-639N100	\$122	Color 1/3" SONY, 540TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-H639N100	\$139	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: CS Lens 8mm/F2.0
	KIR-673N100	\$163	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension:275(W)x186(H)x123(D)mm Weight:2.4Kg
	KIR-2421K30	\$38	Color 1/4" SHARP,420 TV Lines	IR LED: 5X36PCS IR LED working distance: 30M
	KIR-405K30	\$48	Color 1/3" SONY, 420 TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-633K30	\$50	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
	KIR-409K30	\$66	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 6mm/F2.0
	KIR-639K30	\$68	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension :153(W)x97(H)x82(D)mm Weight:700g
	KIR-2421K40	\$41	Color 1/4" SHARP,420 TV Lines	IR LED: 5X48PCS IR LED working distance: 40M
	KIR-405K40	\$51	Color 1/3" SONY, 420 TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-633K40	\$53	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
	KIR-409K40	\$69	Color 1/3" SONY, 540TV Lines	Lens: Board Lens 6mm/F2.0
	KIR-639K40	\$71	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension :153(W)x97(H)x82(D)mm Weight:700g
	KIR-633K50	\$79	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: 8X36PCS IR LED working distance:50M
	KIR-639K50	\$109	Color 1/3" SONY, 540TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-H639K50	\$125	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: CS Lens 8mm
	KIR-673K50	\$142	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension :263(W)x94(H)x119(D)mm Weight:1.5kg
	KIR-633K100	\$102	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: 10X12PCS IR LED working distance:100M
	KIR-639K100	\$134	Color 1/3" SONY, 540TV Lines Low Illumination	Water resistance:IP66 Cable built-in bracket
	KIR-H639K100	\$150	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: CS Lens 12mm/F2.0








	KIR-673K100	\$167	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR, OSD,	Dimension:273(W)x103(H)x119(D)mm Weight:1.5kg
 <p>HOT!!</p>	KIR-633G40	\$111	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: \varnothing 8X36PCS IR LED working distance: 50M
	KIR-639G40	\$142	Color 1/3" SONY, 540TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-H639G40	\$158	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 8-20mm Manual Zoom Lens
	KIR-673G40	\$175	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR, OSD,	Dimension :255(W)x152(H)x144(D)mm Weight:1.3Kg
 <p>HOT!!</p>	KIR-2421W30	\$49	Color 1/4" SHARP, 420TV Lines	IR LED: \varnothing 5X36PCS IR LED working distance: 30M
	KIR-405W30	\$56	Color 1/3" SONY, 420TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-633W30	\$58	Color 1/3" SONY, 420 TV Lines Low Illumination	Built-in bracket, 3-Axis direction bracket
	KIR-409W30	\$72	Color 1/3" SONY, 540TV Lines	Lens: 4-9mm Manual Zoom Lens
	KIR-639W30	\$74	Color 1/3" SONY, 540TV Lines Low Illumination	IP66 waterproof
	KIR-H639W30	\$101	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension:256(W)x143(H)x86(D)mm Weight:1.6Kg
	KIR-673W30	\$125	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR, OSD,	IR LED: \varnothing 8X36PCS IR LED working distance: 50M
 <p>HOT!!</p>	KIR-2421W50	\$56	Color 1/4" SHARP, 420TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-405W50	\$62	Color 1/3" SONY, 420TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-633W50	\$64	Color 1/3" SONY, 420 TV Lines Low Illumination	Lens: 4-9mm Manual Zoom Lens
	KIR-409W50	\$79	Color 1/3" SONY, 540TV Lines	IP66 waterproof
	KIR-639W50	\$81	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension:259(W)x159(H)x104(D)mm Weight:1.8Kg
	KIR-H639W50	\$107	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	IR LED: \varnothing 5X36PCS IR LED working distance: 30M
	KIR-673W50	\$132	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR, OSD,	High resolution: 700/600/540/420TV Lines optional
 <p>HOT!!</p>	KIR-2421T30	\$48	Color 1/4" SHARP, 420TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-405T30	\$54	Color 1/3" SONY, 420TV Lines	Lens: 4-9mm Manual Zoom Lens
	KIR-633T30	\$56	Color 1/3" SONY, 420 TV Lines Low Illumination	IP66 waterproof
	KIR-409T30	\$71	Color 1/3" SONY, 540TV Lines	Dimension :200(W)x171(H)x83(D)mm Weight:1.3Kg
	KIR-639T30	\$73	Color 1/3" SONY, 540TV Lines Low Illumination	IR LED: \varnothing 8X36PCS IR LED working distance: 50M
	KIR-H639T30	\$96	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	High resolution: 700/600/540/420TV Lines optional
	KIR-673T30	\$120	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR, OSD,	Built-in bracket, 3-Axis direction bracket
	KIR-2421T50	\$52	Color 1/4" SHARP, 420TV Lines	High resolution: 700/600/540/420TV Lines optional
	KIR-405T50	\$59	Color 1/3" SONY, 420TV Lines	Built-in bracket, 3-Axis direction bracket
	KIR-633T50	\$61	Color 1/3" SONY, 420 TV Lines Low Illumination	
	KIR-409T50	\$76	Color 1/3" SONY, 540TV Lines	





		KIR-639T50	\$78	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 4-9mm Manual Zoom Lens
	KIR-H639T50	\$101	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	IP66 waterproof	
	KIR-673T50	\$125	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension:240(W)x186(H)x100(D)mm Weight:1.4Kg	
	KIR-633WA30	\$94	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: \varnothing 5X36PCS IR LED working distance: 30M Style housing design, 3-Axis direction bracket	
	KIR-639WA30	\$125	Color 1/3" SONY, 540TV Lines Low Illumination	4-9mm Manual Zoom Auto Iris Lens Removable IR-CUT Light filter switch function Dimension:256(W)x143(H)x86(D)mm Weight:1.6Kg	
	KIR-633WA50	\$104	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: \varnothing 8X36PCS IR LED working distance: 50M Style housing design, 3-Axis direction bracket	
	KIR-639WA50	\$132	Color 1/3" SONY, 540TV Lines Low Illumination	4-9mm Manual Zoom Auto Iris Lens Removable IR-CUT Light filter switch function Dimension:259(W)x159(H)x104(D)mm Weight:1.8Kg	
	KIR-633ST50	\$99	Color 1/3" SONY, 420 TV Lines Low Illumination	IR LED: \varnothing 8X36PCS IR LED working distance: 50M	
	KIR-639ST50	\$122	Color 1/3" SONY, 540TV Lines Low Illumination	Build-in auto temperature control	
	KIR-H639ST50	\$139	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 8-20mm Manual Zoom Lens	
	KIR-673ST50	\$163	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension :230(W) x180(H) x115(D)mm Weight:2.5kg	

Dome camera

Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
	KDP-1030S25	\$17	Color 1/4" CMOS, 480 TV Lines	Plastic Dome Camera
	KDP-2421S25	\$23	Color 1/4" SHARP,420TV Lines	SONY/SHARP CCD or CMOS
	KDP-405S25	\$30	Color 1/3" SONY, 420 TV Lines	
	KDP-633S25	\$31	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409S25	\$58	Color 1/3" SONY, 540TV Lines	Lens: 3.6mm Board lens/F2.0
	KDP-639S25	\$59	Color 1/3" SONY, 540TV Lines Low Illumination	
	KDP-H639S25	\$78	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension : \varnothing 87.5 x 58(H) mm
	KDP-673S25	\$102	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Weight:200g
	KDP-1030M45	\$17	Color 1/4" CMOS, 480 TV Lines	Plastic Dome Camera
	KDP-2421M45	\$23	Color 1/4" SHARP,420TV Lines	SONY/SHARP CCD or CMOS
	KDP-405M45	\$30	Color 1/3" SONY, 420 TV Lines	
	KDP-633M45	\$31	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409M45	\$58	Color 1/3" SONY, 540TV Lines	Lens: 3.6mm Board lens/F2.0
	KDP-639M45	\$59	Color 1/3" SONY, 540TV Lines Low Illumination	
	KDP-H639M45	\$78	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension : \varnothing 118 x 74(H) mm

	KDP-673M45	\$102	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 118 x 74(H) mm Weight:300g
 	KDP-2421B45	\$24	Color 1/4" SHARP, 420TV Lines	4.5" Plastic Dome Camera
	KDP-405B45	\$31	Color 1/3" SONY, 420 TV Lines	SONY/SHARP Color CCD
	KDP-633B45	\$31	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409B45	\$48	Color 1/3" SONY, 540TV Lines	3-Axis bracket built-in
	KDP-639B45	\$48	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 3.6mm Board lens/F2.0
	KDP-H639B45	\$73	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension : \varnothing 118 x 74(H) mm
	KDP-673M45	\$97	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 118 x 106(H) mm Weight:600g
 	KDP-2421BT45	\$31	Color 1/4" SHARP, 420 TV Lines	4.5" Plastic Dome Camera
	KDP-405BT45	\$38	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDP-633BT45	\$38	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409BT45	\$54	Color 1/3" SONY, 540 TV Lines	3-Axis bracket built-in
	KDP-639BT45	\$54	Color 1/3" SONY, 540TV Lines Low Illumination	Lens:4-9mm Manual Zoom Lens
	KDP-H639BT45	\$79	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension: \varnothing 118 x 106(H) mm Weight:600g
	KDP-673BT45	\$104	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	
 	KDP-2421R45	\$28	Color 1/4" SHARP, 420TV Lines	4.5" Plastic Dome Camera
	KDP-405R45	\$34	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDP-633R45	\$36	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409R45	\$51	Color 1/3" SONY, 540 TV Lines	IR LED: \varnothing 5X21PCS IR LED working distance: 20M
	KDP-639R45	\$53	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDP-H639R45	\$78	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens3.6mm Manual Zoom Lens
	KDP-673R45	\$102	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 149 x 99(H) mm Weight:1.3kg
 	KDP-2421RT45	\$34	Color 1/4" SHARP, 420TV Lines	4.5" Plastic Dome Camera
	KDP-405RT45	\$41	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDP-633RT45	\$43	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDP-409RT45	\$57	Color 1/3" SONY, 540 TV Lines	IR LED: \varnothing 5X21PCS IR LED working distance: 20M
	KDP-639RT45	\$59	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDP-H639RT45	\$84	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	

	KDP-673RT45	\$109	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Lens:4-9mm Manual Zoom Lens Dimension: \varnothing 149 x 99(H) mm Weight:1.3kg
 	KDV-2421N25	\$36	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera
	KDV-405N25	\$41	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633N25	\$43	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/SHARP CCD
	KDV-409N25	\$64	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
	KDV-639N25	\$66	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDV-H639N25	\$86	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 3.6mm Board lens/F2.0
	KDV-673N25	\$111	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 94x 85(H) mm Weight: 600g
 	KDV-2421N35	\$45	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera
	KDV-405N35	\$51	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633N35	\$53	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/SHARP CCD
	KDV-409N35	\$71	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
	KDV-639N35	\$73	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDV-H639N35	\$92	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 4-9mm Manual Zoom Lens
	KDV-673N35	\$117	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 117x 92(H) mm Weight: 800g
 	KDV-2421N45	\$51	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera
	KDV-405N45	\$58	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633N45	\$59	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/SHARP CCD
	KDV-409N45	\$76	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
	KDV-639N45	\$78	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDV-H639N45	\$97	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 4-9mm Manual Zoom Lens
	KDV-673N45	\$122	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 142x 100(H) mm Weight: 1kg
	KDV-1030D25	\$25	Color 1/4" CMOS, 480TV Lines	2.5" Vandalproof Dome Camera
	KDV-2421D25	\$33	Color 1/4" SHARP, 420TV Lines	SONY/SHARP CCD
	KDV-405D25	\$41	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633D25	\$43	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDV-409D25	\$63	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
	KDV-639D25	\$64	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 3.6mm Board lens/F2.0
	KDV-H639D25	\$84	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension : \varnothing 108 x 69(H) mm

	KDV-673D25	\$109	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Weight:450g
	KDV-2421DT45	\$45	Color 1/4" SHARP, 420TV Lines	2.5" Vandalproof Dome Camera
	KDV-405DT45	\$53	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633DT45	\$54	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDV-409DT45	\$78	Color 1/3" SONY, 540TV Lines	3-Axis bracket built-in
	KDV-639DT45	\$79	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 4-9mm manual zoom Lens
	KDV-H639DT45	\$97	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension : \varnothing 140x 94(H) mm Weight:700g
 NEW!!	KDV-2421K35	\$45	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera
	KDV-405K35	\$53	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633K35	\$54	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDV-409K35	\$76	Color 1/3" SONY, 540TV Lines	3-Axis bracket built-in
	KDV-639K35	\$78	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 4-9mm Manual Zoom Lens
	KDV-H639K35	\$97	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Dimension: \varnothing 118x 99(H) mm Weight: 600g
	KDV-673K35	\$122	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	
 NEW!!	KDV-2421K55	\$51	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera
	KDV-405K55	\$58	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KDV-633K55	\$59	Color 1/3" SONY, 420 TV Lines Low Illumination	High resolution: 700/600/540/420TV Lines optional
	KDV-409K55	\$83	Color 1/3" SONY, 540TV Lines	3-Axis bracket built-in
	KDV-639K55	\$84	Color 1/3" SONY, 540TV Lines Low Illumination	Lens: 4-9mm Manual Zoom Lens
	KDV-H639K55	\$104	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	With dual voltage DC12V//AC24V add USD4.00
	KDV-673K55	\$129	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 140x 120(H) mm Weight: 1.2kg
	KDV-2421KR45	\$59	Color 1/4" SHARP, 420TV Lines	4.5" Vandalproof Dome Camera
	KDV-405KR45	\$64	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X21PCS IR LED working distance: 20M
	KDV-633KR45	\$66	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
	KDV-409KR45	\$86	Color 1/3" SONY, 540 TV Lines	High resolution: 700/600/540/420TV Lines optional
	KDV-639KR45	\$87	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
	KDV-H639KR45	\$106	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens:4-9mm Manual Zoom Lens
	KDV-673KR45	\$130	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension : \varnothing 149x 99(H) mm Weight:1kg
	KDV-2421SN20	\$31	Color 1/4" SHARP, 420TV Lines	Vandalproof Dome Camera



KDV-405SN20	\$38	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance: 20M
KDV-633SN20	\$40	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
KDV-409SN20	\$54	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
KDV-639SN20	\$56	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
KDV-H639SN20	\$76	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: Board Lens 3.6mm/F2.0
KDV-673SN20	\$101	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 94 x 69(H) mm Weight:450g



KDP-2421SH20	\$23	Color 1/4" SHARP, 420TV Lines	Plastic IR Dome Camera
KDP-405SH20	\$29	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance: 20M
KDP-633SH20	\$31	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
KDP-409SH20	\$46	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
KDP-639SH20	\$48	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
KDP-H639SH20	\$68	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: Board Lens 3.6mm/F2.0
KDP-673SH20	\$92	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 94 x 69(H) mm Weight:250g





KDV-2421SH20	\$26	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera
KDV-405SH20	\$33	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X24PCS IR LED working distance: 20M
KDV-633SH20	\$35	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
KDV-409SH20	\$49	Color 1/3" SONY, 540 TV Lines	High resolution: 700/600/540/420TV Lines optional
KDV-639SH20	\$51	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
KDV-H639SH20	\$71	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: Board Lens 3.6mm/F2.0
KDV-673SH20	\$96	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 94 x 69(H) mm Weight:400g





KDV-2421SHT30	\$44	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera
KDV-405SHT30	\$51	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X36PCS IR LED working distance: 30M
KDV-633SHT30	\$53	Color 1/3" SONY, 420 TV Lines Low Illumination	SONY/Sharp Color CCD
KDV-409SHT30	\$67	Color 1/3" SONY, 540TV Lines	High resolution: 700/600/540/420TV Lines optional
KDV-639SHT30	\$69	Color 1/3" SONY, 540TV Lines Low Illumination	3-Axis bracket built-in
KDV-H639SHT30	\$89	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Lens: 4-9mm Manual Zoom Lens
KDV-673SHT30	\$114	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	Dimension: \varnothing 131 x 93(H) mm Weight:800g


KDV-2421CT30	\$51	Color 1/4" SHARP, 420TV Lines	Vandalproof IR Dome Camera
--------------	------	-------------------------------	----------------------------

 	KDV-405CT30	\$57	Color 1/3" SONY, 420 TV Lines	IR LED: \varnothing 5X36PCS IR LED working distance: 30M SONY/Sharp Color CCD High resolution: 700/600/540/420TV Lines optional 3-Axis bracket built-in Lens: 4-9mm Manual Zoom Lens Dimension: \varnothing 275x 93(H) mm Weight:2.1kg
	KDV-633CT30	\$59	Color 1/3" SONY, 420 TV Lines Low Illumination	
	KDV-409CT30	\$74	Color 1/3" SONY, 540TV Lines	
	KDV-639CT30	\$76	Color 1/3" SONY, 540TV Lines Low Illumination	
	KDV-H639CT30	\$96	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	
	KDV-673CT30	\$104	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	



Mini Speed dome Camera

Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
	KPD-633D1	\$134	Color 1/3" SONY, 420TV Lines, Low Illumination	Vandalproof Mini PT Speed Dome camera Pan range: 0°~360° Continue (Not 355°)
	KPD-639D1	\$158	Color 1/3" SONY, 540TV Lines, Low Illumination	Tilt range: 0°~90° Flip Pan Speed: Max 50°/sec Preset: 16
	KPD-H639D1	\$175	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Weatherproof Outdoor IP66
	KPD-673D1	\$191	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	RS485, Pelco D/P supported Lens: 4-9mm Manual Zoom Lens Size: \varnothing 121x177mm; Weight: 2.5Kg
	KPD-633P1	\$142	Color 1/3" SONY, 420TV Lines, Low Illumination	Vandalproof Mini PT Speed Dome camera Pan range: 0°~360° Continue (Not 355°)
	KPD-639P1	\$167	Color 1/3" SONY, 540TV Lines, Low Illumination	Tilt range: 0°~90° Flip Pan Speed: Max 50°/sec Preset: 16
	KPD-H639P1	\$183	Color 1/3" SONY, 600TV Lines Low Illumination,SSWDR,OSD	Weatherproof Outdoor IP66
	KPD-673P1	\$200	Color 1/3" SONY Effio (NR, PM, MD), 700TV Lines Low Illumination, SSWDR,OSD,	RS485, Pelco D/P supported Lens: 4-9mm Manual Zoom Lens Size: \varnothing 138x212mm; Weight: 2.5Kg



Box Camera

Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
	KCB-405B1	\$38	Color 1/3" SONY, 420 TV Lines	Standard Box Camera Iris control:DC/VIDEO
	KCB-409B1	\$63	Color 1/3" SONY, 540 TV Lines	Dimension:110(W)x45(H)x55(D)mm Weight:300g

Bullet camera

Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
	KBL-227B2	\$51	Color 1/4" SONY, 420TV Lines	Lens:3.6mm Board Lens
	KBL-405B2	\$56	Color 1/3" SONY, 420 TV Lines	Dimension: \varnothing 20 x 62(H) mm Weight:200g
	KBL-227PB	\$53	Color 1/4" SONY, 420 TV Lines	Lens:3.7mm Taper Pinhole Lens
	KBL-405PB	\$59	Color 1/3" SONY, 420 TV Lines	Dimension: \varnothing 20 x 62(H) mm Weight:200g

Hidden camera

Picture	Item No.	Unit Price (≥100PCS)	Specification	Remarks
	KHD-2421SD1	\$30	Color 1/4" SHARP,420TV Lines	Smoke Detector Camera
	KHD-405SD1	\$40	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KHD-633SD1	\$41	Color 1/3" SONY, 420TV Lines, Low Illumination	
	KHD-409SD1	\$66	Color 1/3" SONY, 540TV Lines	Lens:3.6mm Board Lens
	KHD-639SD1	\$68	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension : ∅ 119 x 56(H) mm Weight:250g
	KHD-2421SP2	\$31	Color 1/4" SHARP, 420TV Lines	PIR Spy Camera
	KHD-405SP2	\$41	Color 1/3" SONY, 420 TV Lines	SONY/SHARP CCD
	KHD-633SP2	\$43	Color 1/3" SONY, 420TV Lines, Low Illumination	
	KHD-409SP2	\$69	Color 1/3" SONY, 540TV Lines	Lens: 3.7mm Taper Pinhole Lens
	KHD-639SP2	\$71	Color 1/3" SONY, 540TV Lines Low Illumination	Dimension : 70(W) x40(H) x119(D)mm Weight:250g

Trade Terms:

- Đơn Giá: Giao Tại Cty GMax - Hà Nội
- Thanh Toán:** Thanh Toán Tiền Mặt 100% Khi Bàn Giao Hàng hoá
- Thời gian Giao hàng:** Giao Hàng Ngay hoặc sau 1 - 4 Tuần
- Warranty:** Bảo hành 1 Năm với các sản phẩm